

# INDIVIDUAL SEWAGE DISPOSAL SYSTEM EASTGATE ESTATES

PLANNED UNIT DEVELOPMENT


IN

LAKE COUNTY, ILLINOIS

PIN NUMBERS 15-29-100-002, 15-29-102-002

Exhibit 1.08 EG

## VICINITY MAP



## LEGEND

EXISTING	PROPOSED
EFFLUENT SEWER	
SEPTIC TANK	
CURTAIN DRAIN	
STORM FLOW	
DISTRIBUTION LATERAL	
CONTOUR LINES	
MANIFOLD	

## INDEX

SHEET 1	COVER SHEET
SHEET 2	DRIP SYSTEM LAYOUT
SHEET 3	OVERALL SYSTEM LAYOUT
SHEET 4	DRIP DESIGN DETAILS AND CALCULATIONS
SHEET 5	DRIP SYSTEM STANDARD DETAILS
SHEET 6	SEPTIC TANK & RECIRCULATION SYSTEM
SHEET 7	AX100 MEDIA FILTER LAYOUT & EFFLUENT LINE HYDRAULIC GRADE LINES
SHEET 8	AX100 MEDIA FILTER DETAILS & RECIRCULATION TANK DETAILS
SHEET 9	SOIL BORINGS & SOILS MAP
SHEET 10	GENERAL NOTES AND SPECIFICATIONS
SHEET 11	AMERICAN MANUFACTURING GENERAL NOTES AND SPECIFICATIONS

### SHEETING AND BRACING

SHEETING AND BRACING SHALL BE PLACED IN THE TRENCH AS MAY BE NECESSARY FOR THE SAFETY OF THE WORK AND PUBLIC, FOR THE PROTECTION OF THE WORKMEN, ADJACENT PROPERTIES, PAVEMENT OR STRUCTURES, AND FOR THE PROPER INSTALLATION OF THE WORK, IN ANY EVENT, THE MINIMUM PROTECTION SHALL CONFORM TO THE RECOMMENDATIONS IN O. S. S. H. SAFETY AND HEALTH STANDARDS FOR CONSTRUCTION. A SAID BOX OR TRENCH SHIELD MAY BE USED IN PLACE OF SHEATHING AS PERMITTED BY O. S. H. A. WHEN CLOSE SHEETING IS USED, IT SHALL BE DRIVEN SO AS TO PREVENT ADJACENT SOIL FROM ENTERING THE TRENCH EITHER BELOW OR THROUGH SUCH SHEETING

### NOTICE TO CONTRACTORS

BEFORE BEGINNING CONSTRUCTION, THE CONTRACTOR MUST VERIFY THE ENGINEER'S LINE AND GRADE STAKES. IF THERE ARE ANY DISCREPANCIES FROM WHAT IS SHOWN ON THE PLANS, HE MUST IMMEDIATELY REPORT SAME TO ENGINEER BEFORE DOING ANY WORK, OTHERWISE CONTRACTOR ASSUMES FULL RESPONSIBILITY.

THE LAKE COUNTY HEALTH DEPARTMENT MUST BE NOTIFIED A MINIMUM OF 72 HOURS PRIOR TO BEGINNING ANY WORK.

ALL CONTRACTORS SHALL PROVIDE CERTIFICATES OF INSURANCE NAMING THE COUNTY OF LAKE AND THEIR AGENTS AS ADDITIONALLY INSURED

A DETAILED GRADING PLAN SHOWING THE HOUSE LOCATION SHALL BE SUBMITTED TO THE VILLAGE OF LONG GROVE BUILDING DEPARTMENT PRIOR TO THE ISSUANCE OF A BUILDING PERMIT.

J. U. L. I. E. SHALL BE CONTACTED BEFORE ANY WORK IS DONE ON THIS SITE.

Note: A home phone line is required for all VCOM panels and a dedicated phone line is required for all TCOM panels



ARTHUR R. OLSON & CO.

965 WESTSHORE DRIVE  
FOX LAKE, IL. 60020  
(847) 651-1150

EASTGATE ESTATES

LAKE COUNTY, ILLINOIS

COVER PAGE

				SHEET
				1
				OF 11
12/18			LCHD	
10/01			ENGINEER CHANGES	
5/01			LCHD	
4/20			Land Plan Changes	
DATE	BY	NO.	REVISION	DATE: 12/10/2005